



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/576,951	05/24/2000	Katherine L. Molnar-Kimber	A-7733	5248

7590 07/14/2003

Sughrue Mion Zinn Macpeak & Seas PLLC
2100 Pennsylvania Avenue NW
Washington, DC 20037-3213

EXAMINER

CEPERLEY, MARY

ART UNIT	PAPER NUMBER
----------	--------------

1641

DATE MAILED: 07/14/2003

21

Please find below and/or attached an Office communication concerning this application or proceeding.

Art Unit: 1641

1) The amendment after final filed June 13, 2003 has been entered.


2) All claims are allowable in view of the arguments presented in the amendment filed June 13, 2003. However, due to a potential interference, *ex parte* prosecution is SUSPENDED FOR A PERIOD OF SIX MONTHS from the date of this letter. Upon expiration of the period of suspension, applicant should make an inquiry as to the status of the application.

3) Any inquiry concerning this communication or earlier communications from the examiner should be directed to Mary E. (Molly) Ceperley whose telephone number is (703) 308-4239. The examiner can normally be reached from 8 a.m. to 5 p.m.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Long Le, can be reached at (703) 305-3399. The fax phone number for responses to be filed BEFORE final rejection is (703) 872-9306. The fax phone number for responses to be filed AFTER final rejection is (703) 872-9307.

Questions which are NOT RELATED TO THE EXAMINATION ON THE MERITS, should be directed to **TC 1600 CUSTOMER SERVICE** at **(703) 308-0198**. Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-0196.

July 11, 2003


Mary E. (Molly) Ceperley
Primary Examiner
Art Unit 1641